## **Food Establishment Inspection Report**

Establishment Name: KANVWOTIYI			Establishment ID: 038160001					
Location Address: 2670 CORNSILK BRANCH	■ Inspection	☐ Re-Inspection						
City: ROBBINSVILLE	State: North Caro	Date: 02/01/2019 Status	Code: A					
Zip: 28771 County:			out:					
Permittee: CHEROKEE INDIAN HOSPITAL A	UTHORITY		Category#: 3					
Telephone: 828 497 9163			FDA Establishment Type:					
Wastewater System: ■ Municipal/Commu	ınity 🔲 On-S	Site System	No. of Risk Factor/ Intervention Violations: 3					
Water Supply: ■ Municipal/Commu	unity 🔲 On-S	Site Supply	No. of Repeat Risk Factor/Intervention	Violations: 0				
Foodborne Illness Risk Factors and Public Health I			Good Retail Practices					
Risk factors: Contributing factors that increase the chance of dev Iness	eloping foodborne	Good Retail F	Practices: Preventative measures to control the chemicals, and physical objects into food	1 0				
Compliance Status	OUT CDI R VR	Compliance	e Status	OUT CDI R VR				
Supervision .2652		Safe Food and	Water .2653, .2655,	.2658				
PIC Present; Demonstration - Certification by accredited program and perform duties		28 ■ □ □ □ IN OUT N/A	Pasteurized eggs used where required	1 0.5 0				
Employee Health .2652		29 ■ □ IN OUT	Water and ice from approved source	2 1 0				
IN OUT responsibilities & reporting	□ □ □ 3 1.5 0	20 □ □ ■	Vriance obtained for specialzed processing method					
3 □ □ □ Proper use of reporting, restriction & exclusi	d 🗆 🗆 3 1.5 0	Food Tempera	ature Control .2653, .2654	1 0.5 0				
Good Hygienic Practices .2652, .2653		31 ■ □ IN OUT	Proper cooling methods used; adequate equipment temperature control	f(				
IN OUT	s	22 0 0 0	■ Plant food properly cooked for hot holding					
IN OUT	1 0.5 0	- IN 001 N/A N	□ Approved thawing methods used					
Preventing Contamination by Hands .2652, .2653, .2655, .2		l <del>                                      </del>	√ <b>0</b>	1 0.5 0				
No bare hand contact with RTE foods or preapprov	4 2 0	34 IN OUT Food Identifica	Thermometers provided & accurate ation .2653	1 0.5 0				
IN OUTN/A N/O alternate procedure properly followed	3 1.5 0		Food properly labeled: original container					
IN OUT N/A		IN OUI	Food Contamination .2652, .2653, .2654, .2					
Approved Source .2653, .2655  9 IN OUT Food obtained from approved source		26 ■ □	Insects & rodents not present; no					
10	2 1 0	36 IN OUT	unauthorized animals Contamination prevented during food					
IN OUT N/O Food in good condition, safe & unadulterate		IN OUT	preparation, storage & display  Personal cleanliness	2 1 0				
IN OUT	2 1 0	38 IN OUT		1 0.5 0				
IN OUTN/A N/O destruction	2 1 0	39 IN OUT	Wiping cloths: properly used & stored	1 0.5 0				
Protection from Contamination .2653, .2654	□ □ ■ X 3 1.5 0	40 IN OUT N/A	Washing fruits & vegetables	1 0.5 0				
14	□ □ ■ X	Proper Use of	· · · · · · · · · · · · · · · · · · ·					
IN OUT  15 ■ □ Proper disposition of returned, previously served	3 1.5 0	41 IN OUT	In-use utensils: properly stored	1 0.5 0				
reconditioned, & unsafe food		42 IN OUT	Utensils, equipment & linens: properly stored, dried, & handled	□ □ ■ 1 0.5 0				
16 □ □ □ Proper cooking time & temperatures		43 IN OUT	Single-use & single-service articles: properly store & used	1 0.5 0				
17	3 1.5 0	44 IN OUT	Gloves used properly	□ □ □ 1 0.5 0				
18 DOUTN/AN/O Proper cooling time & temperatures		Utensils and E	1 1					
10 □ □ □ ■ Proper hot holding temperatures		45 🔳 🗆	Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed,					
n   U   N/A N/O	3 1.5 0	IN OUT	& used	2 1 0				
21 N OUTN/A N/O 21 N OUTN/A N/O Proper date marking & disposition	3 1.5 0	46 IN OUT	Warewashing facilities: installed, maintained, & used; test strips	1 0.5 0				
□ □ ■ □ Time as a public health control: procedures	3 1.5 0	47 IN OUT	Non-food contact surfaces clean	1 0.5 0				
IN OUT N/A N/O & records	2 1 0	Physical Facili						
Consumer Advisory .2653 23		48 IN OUT N/A	Hot & cold water available; adequate pressure					
IN OUT N/A undercooked foods	1 0.5 0	49 IN OUT	Plumbing installed; proper backflow devices	2 1 0				
Highly Susceptible Populations .2653  24	□ □ □ □ 3 1.5 0	50 IN OUT	Sewage & waste water properly disposed					
Chemical .2653, .2657	1.5  0	E4 ■ □ □	Toilet facilities: properly constructed,					
25   OUT N/A Food additives: approved & properly used	1 0.5 0	IN OUT N/A	supplied & cleaned Garbage & refuse properly disposed; facilities	1 0.5 0				
26 NOUT N/A Toxic substances properly identified stored, & used		52 IN OUT	maintained  Physical facilities installed, maintained & clean	1 0.5 0				
Conformance with Approved Procedures .2653, .2654, .2658	3	53 IN OUT		1 0.5 0				
27		54 ■ □ IN OUT	Meets ventilation & lighting requirements; designated areas used	1 0.5 0				
			Total Deductions:	2.0				





Score: 98.0

## **Comment Addendum to Food Establishment Inspection Report**

							•	•	
Establish	ment Name: KA	NVWOTIYI			ablishment	ID:		D.1. 0	0/04/0040
Location Address: 2670 CORNSILK BRANCH ROAD			038160001 Date: 02/01/2019						
City: ROE	BBINSVILLE		State: NC		Inspection		Re-Inspection	Status C	Code: A
·		Zip: 28771	☐ Visit Category#:					ory#: 3	
Wastewater	System: ■Munici	pal/Communit	ty ☐ On-Site System		Verification	l			
Water Suppl	y: ■ Munic	ipal/Communi	ty 🔲 On-Site Supply		Name Char	nge			
Permittee: CHEROKEE INDIAN HOSPITAL AUTHORITY					Status Cha	nge			
Telephone: 828 497 9163					Pre-Openin	ng Visit			
relephone.	020 437 3103				Other				
			TEMP ERATURE O	BSERV	ATIONS				
It e	em/Loc at ion	Temp	It em/Loc at ion		Te mp		Item/Location		Temp
Sliced T	urkey/ Prep Top	36							
	emp/ Prep Top	37							
	mp/ 3 Comp Sink	128							
	cken/ 1 Door Cooler uce/ Walk In	38 39							
Letti	uce/ waik iii	39							
		Oh		2011		\ <b>_4</b> :	•		
Observations and Corrective Actions  Item Number Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the fo									
Item Number						r, or as s	tated in Sections 6-	405.11 01	the io
01			t least one food worker shall b food is being prepared. No or			certificati	on.		
40	NOT IN COMPLIANCE	oe oobbeot	TED DUDING INGREGATION O						
13		-	ED DURING INSPECTION; 3 to each items. Raw sausage						
4.4	above pre-cooked, cooked, or ready to each items. Raw sausage was above cooked chicken in the reach in cooler.								
14	NOT IN COMPLIANCE; ; 4-703.11 Thermolabels shall be available to test hot water sanitizing temperatures in hot water dish machines. None could be found.; VERIFICATION REQUIRED								
			ail picture to health departmen	t. Tem	p was verified	with			
42	health department thermolabel. NOT IN COMPLIANCE; 4-904.11 Obtain coffee stirrers that are individually wrapped								
			by customer/client hands.		. ,				
			Additional (	Con	nments				
						.,	midiandian Daniel	l Data:	00/44/05/5
	narge (Print &Sign)					_	erification Required	Date:	02/11/2019
Regulatory Authority (Print &Sign): JUSTIN , MINTZ					_ RE	EHS ID: 2177			
						PE	HS Contact Phone	Number	



